



PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT
FOR CONTROL OF BOTRYTIS IN PROTECTED GROWN TOMATOES

PERMIT NUMBER – PER80210

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 13 NOVEMBER 2014 to 30 JUNE 2023

Permit Holder:

TOMATO EXCHANGE PTY LTD / COSTA GROUP TOMATO DIVISION
Lot 45, Elm Street
GUYRA NSW 2365

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

SCALA 600 SC FUNGICIDE [APVMA No. 60445]

Plus other REGISTERED PRODUCTS

Containing: 600 g/L PYRIMETHANIL as the only active constituent.

Use Campbell Pyper 600SC

Directions for Use:

Crop Type	Plant Disease	Application Rate
TOMATOES Protected situations only	Botrytis grey mould (<i>Botrytis cinerea</i>)	1.25 L product / ha OR 125 mL product / 100 L water (Maximum of 1.25 L product/ha) Plus 25 mL / 100 L <i>BS1000 Bio-degradable Surfactant</i>

Critical Use Comments:

- DO NOT apply more than three (3) applications per crop.
- DO NOT apply more than two (2) successive applications per crop.
- Apply when conditions favour disease development.
- Apply at 7-10 day intervals alternating with a fungicide of a different chemical group.
- Use the shorter application interval when disease pressure is high.
- Use water volumes which ensure adequate penetration of the plant canopy and coverage of foliage, flowers and/or fruit. DO NOT exceed the maximum of 1.25 L product/ha.
- Follow a complete disease management program for Botrytis by rotating with fungicides from different chemical groups as per the CropLife fungicide resistance management guidelines.

PHYTOTOXICITY WARNING

The vapour activity of products included in this permit may cause damage (brown or necrotic spots) to crops grown in enclosed areas, e.g. glasshouses and plastic tunnels, particularly under conditions of poor ventilation and high humidity. The intensity and frequency of these effects depend on the relative humidity (e.g. above 80%) duration of vapour exposure and concentration of the spray solution.

To minimise the risk of crop damage:

- Tests should be conducted on a small number of plants to demonstrate tolerance, prior to large scale use. Plant growth stage and environmental conditions should be similar for the test and any subsequent large-scale use,
- Apply only to plants grown in well-ventilated glass houses, plastic tunnel houses, or similar protected cropping structures, and
- Ensure the protected environment is well ventilated during and following application (for at least 2 hours following application).

Withholding Periods:

DO NOT harvest for 3 DAYS after application.

DO NOT graze treated crops or cut for stock feed.

Jurisdiction:

ALL STATES, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that state.

Additional Conditions:

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of this permit.

Export of Treated Produce

To allow produce from treated plants to be supplied or otherwise made available for consumption the APVMA has established a Maximum Residue Limits (MRL) for Pyrimethanil in Tomato at 1mg/kg. This limit applies only to produce marketed and consumed in Australia. If treated produce is to be exported, due account should be taken of the residue definition and residue limits/import tolerances of importing countries and that any residues must not exceed those requirements of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Notes:

03/06/2015. TMRL amended from 5mg/kg to 1mg/kg. Expiry date extended to 30/6/2020.

03/10/2018. *Scala 600 SC Fungicide* included under Products to be used. Application rate amended. Expiry date extended to 30/06/2023.